JOURNAL OF AGRICULTURAL RESEARCH

VOL. 72 WASHINGTON, D. C. JANUARY 1–JUNE 15, 1946

CONTENTS

	Page
Influence of Light and Temperature on Sugarcane and Erianthus. Illus. JOHN I. LAURITZEN, E. W. BRANDES, and JULIUS MATZ	1
The Argentine Curly Top of Sugar Beet. Illus. C. W. BENNETT, EUBANKS CARSNER, G. H. COONS, and E. W. BRANDES	19
Relation of Temperature to Reproduction in Sugar Beets. Illus. MYRON STOUT	49
Environal Factors Affecting Downy Mildew of Cabbage. Illus. MATTHIAS W. FELTON and J. C. WALKER	69
Differential Bactericidal Activity of Bovine Serum toward Strains of *Brucella abortus* of High and Low Virulence. M. R. IRWIN and B. A. BEACH	83
Analysis of Fire Spread in Light Forest Fuels. Illus. WALLACE L. FONS	93
A Comparison of the Chemical Composition of Diploid and Tetraploid Corn. G. H. ELLIS, L. F. RANDOLPH, and G. MATRONE	123
The Relation of Test Weight and Protein Content to the Milling and Baking Quality of Hard Red Spring Wheat Hybrids. R. H. HARRIS and L. R. WALDRON	131
Influence of Carbohydrate Levels and Root-Surface Microfloras on Phymatotrichum Root Rot in Cotton and Maize Plants. Illus. FRANK M. EATON and NEIL E. RIGLER	137
Loss of Furfural-Yielding Constituents from Wheat Straw on Treatment with Alcoholic and Aqueous Sodium Hydroxide Solutions. H. D. WEIHE and MAX PHILLIPS	163
Carotene Content of the Corn Plant. Illus. JOHN W. PORTER, F. M. STRONG, R. A. BRINK, and N. P. NEAL	169
Leaf Elongation and Fruit Growth of the Deglet Noor Date in Relation to Soil-Moisture Deficiency. Illus. W. W. ALDRICH, C. L. CRAWFORD, and D. C. MOORE	189
Final Results of the Duvel Buried Seed Experiment. Illus. E. H. TOOLE and E. BROWN	201
Checking of Fruits of the Deglet Noor Date in Relation to Water Deficit in the Palm. Illus. W. W. ALDRICH, J. R. FURR, C. I. CRAWFORD, and D. C. MOORE	211
Sporidial Fusion in *Ustilago maydis*. Illus. DONALD H. BOWMAN	233
Utilization of Nitrates by the Coffee Plant under Different Sunlight Intensities. Illus. T. TANADA	245
Relation of Color-Inhibiting Factor to Smudge Resistance in Onion. H. A. JONES, J. C. WALKER, T. M. LITTLE, and R. H. LARSON	259
Development of the Immature Stages of *Anastrepha serpentina* in Relation to Temperature. Illus. JOHN G. SHAW and DONALD F. STARR	265
Studies in the Chemistry of Grass Silage. J. G. ARCHIBALD	277
The Relation between Number of Ears Opened and the Amount of Grain Taken by Redwings in Cornfields. Illus. D. W. HAYNE	289
Latex-Tube Areas of the Roots and Leaves of the Russian Dandelion. Illus. EDWARD F. WOODCOCK	297
Some Aspects of the Aerial Dissemination of Spores, with Special Reference to Conidia of *Sclerotinia laxa*. Illus. E. E. WILSON and G. A. BAKER	301
Susceptibility of Hibernating Codling Moth Larvae to Low Temperatures, and the Bound-Water Content. Illus. E. H. SIEGLER	329

710150—46

Page

The Construction and Installation of Thermocouples for Biological Research. Illus. RUSSELL EGGERT 341

Blood Levels of Calcium and Inorganic Phosphorus in Hereford Cattle. MERLE G. PAYNE, ANDREW G. CLARK, H. E. KINGMAN, and WILLIAM M. STANSBURY 357

Effect of Maturity on the Chemical Composition and Digestibility of the Stems and Leaves of Sweetclover Hay. JERRY SOTOLA 365

ERRATA AND AUTHOR'S EMENDATIONS

Page 61, footnote to table 5, "26° for hours" should be "26° for 8 hours."
Page 69, author's name "Matthias" should be "Mathias."
Page 74, paragraph 1, line 2, "high humidity" should be "low humidity."
Page 80, paragraph 2, line 1, "haustoria" should be "mycelia."

Page 97, line 17, "$\sigma=\frac{A_s}{v}$" should be "$\sigma=\frac{A_s}{v}$."

Page 97, equation (10), "C_p" should be "$\overline{C}_p$."

Page 98, line 24, "$\frac{4}{\sigma}$" should be "$\frac{4}{\sigma}$."

Page 104, equation 30, the denominator should read

$$C_\gamma \bar{\gamma} C_{cp} \overline{C}_p ln\left[C_i\left(\frac{t_f-t_o}{t_f-t_i}\right)\right].$$

Page 170, paragraph 1, line 3, "(9)" should be "(δ)."
Page 176, figure 2, legend, line 4, "R19" should be "K19."
Page 182, table 16, first column under "Pollinated" should be headed by "Micrograms per gram."
Page 291, paragraph 1, line 10, "e^1" should be "e^{-1}".
Page 291, line 5, should read

$$"1-\left(\frac{n}{N}\frac{N}{n}\right)+\frac{\frac{N}{n}\left(\frac{N}{n}-1\right)\left(\frac{n}{N}\right)^2}{2}-\frac{\frac{N}{n}\left(\frac{N}{n}-1\right)\left(\frac{N}{n}\quad\right)\left(\frac{n}{N}\right)^3}{2\cdot 3}+."$$

Page 306, paragraph 1, line 8, "27 percent" should be "47 percent."

INDEX

	Page
Abortion, infectious, control, experiments	83-90
Aerial dissemination of spores, some aspects with special reference to conidia of *Sclerotinia laxa*. E. E. Wilson and G. A. Baker.	301-327
Agalliana ensigera—	
characteristics, distribution, and host range	34-36
feeding habits, relation to transmission of Argentine curly top	36-39
retention of Argentine curly top virus, period, estimation	39-40
synonyms	19
transmission of Argentine curly top virus, experiments	27-28
virus incubation period in, comparison with *Eutettix tenellus*	39
Agelaius phoeniceus phoeniceus. *See* Redwing.	
Alcoholic solution treatment on wheat straw, effects on loss of furfural-yielding constituents during. H. D. Weihe and Max Phillips	163-167
ALDRICH, W. W.:	
CRAWFORD, C. L., and MOORE, D. C.: Leaf Elongation and Fruit Growth of the Deglet Noor Date in Relation to Soil-Moisture Deficiency	189-200
FURR, J. R., CRAWFORD, C. L., and MOORE, D. C.: Checking of Fruits of the Deglet Noor Date in Relation to Water Deficit in the Palm	211-231
Alfalfa—	
silage, analysis	280-284
wilted and unwilted, chloride content, analyses	284
Allium cepa. *See* Onion.	
Anastrepha serpentina—	
developmental period, total length	276
egg stage, study techniques	265-270
immature stages, development in relation to temperature. John G. Shaw and Donald F. Starr	256-276
larval—	
period, length in relation to temperature changes	273-275
stage, study techniques	270-275
length of incubation and hatching periods, effects of temperature	266-270
molting process, effects of temperature	273
puparial stage, study techniques	275
Apricot—	
blossom infection—	
gradients in vicinity of spore sources	302-303
incidence gradations, relation to gradations in density of air-borne spores	304-306
brown rot blossom disease, spread in orchards	302-306
ARCHIBALD, J. G.: Studies in the Chemistry of Grass Silage	277-287
Bactericidal activity, differential, of bovine serum toward *Brucella abortus* strains of high and low virulence. M. R. Irwin and B. A. Beach	83-91
BAKER, G. A., and WILSON, E. E.: Some Aspects of the Aerial Dissemination of Spores, with Special Reference to Conidia of *Sclerotinia laxa*	301-327
BEACH, B. A., and IRWIN, M. R.: Differential Bactericidal Activity of Bovine Serum toward Strains of *Brucella abortus* of High and Low Virulence	83-91
BENNETT, C. W., CARSNER, EUBANKS, COONS, G. H., and BRANDES, E. W.: The Argentine Curly Top of Sugar Beet	19-48
Beta vulgaris. *See* Sugar beet.	
Biological research, thermocouples for, construction and installation. Russell Eggert	341-355
Blood—	
calcium level of Hereford cattle, effects of age, feed, and breed	359-362
levels of calcium and inorganic phosphorus in Hereford cattle. Merle G. Payne, Andrew G. Clark, H. E. Kingman, and William M. Stansbury	357-363
Bovine serum, differential bactericidal activity toward *Brucella abortus* strains of high and low virulence. M. R. Irwin and B. A. Beach	83-91
BOWMAN, DONALD H.: Sporidial Fusion in *Ustilago maydis*	233-243
BRANDES, E. W.:	
BENNETT, C. W., CARSNER, EUBANKS, and COONS, G. H.: The Argentine Curly Top of Sugar Beet	19-48
LAURITZEN, JOHN I., and MATZ, JULIUS: Influence of Light and Temperature on Sugarcane and Erianthus	1-18
Brassica oleracea var. *capitata*. *See* Cabbage.	
BRINK, R. A., PORTER, JOHN W., STRONG, F. M., and NEAL, N. P.: Carotene Content of the Corn Plant	169-187
BROWN, E., and TOOLE, E. H.: Final Results of the Duvel Buried Seed Experiment	201-210
Brucella abortus strains, of high and low virulence, differential bactericidal activity of bovine serum toward. M. R. Irwin and B. A. Beach	83-91
Cabbage—	
downy mildew—	
development, relation to temperature and humidity	74-77
environal factors affecting. Matthias W. Felton and J. C. Walker	69-81
organism, temperature relations	70-73
inoculation with downy mildew fungus, experiments	70-73
nutrition, relation to downy mildew development	77-80
Carotene—	
content of corn plant—	
John W. Porter, F. M. Strong, R. A. Brink, and N. P. Neal	169-187
factors affecting	174-186
content of green crops, determination method, evaluation	284-286
distribution in corn plant	173-174
extraction from corn leaf, methods	171
yield of corn strains	174-178, 184-185
Carpocapsa pomonella. *See* Codling moth.	
CARSNER, EUBANKS, BENNETT, C. W., COONS, G. H., and BRANDES, E. W.: The Argentine Curly Top of Sugar Beet	19-48
Cattle, Hereford—	
calcium and inorganic phosphorus in, blood levels. Merle G. Payne, Andrew G. Clark, H. E. Kingman, and William M. Stansbury	357-363
fertility, relation to blood levels of calcium and phosphorus	358-362
Chemistry of grass silage, studies. J. G. Archibald	277-287
Chickweed, symptoms of Argentine curly top	31
Chloride content of silage, analyses	283-284
CLARK, ANDREW G., PAYNE, MERLE G., KINGMAN, H. E., and STANSBURY, WILLIAM M.: Blood Levels of Calcium and Inorganic Phosphorus in Hereford Cattle	357-363

Page

Codling moth larvae—
hibernating—
bound-water content—
E. H. Siegler ... 329-340
determination ... 335-339
susceptibility to low temperatures. E. H. Siegler ... 329-340
overwintering, effects of undercooling and rebound temperatures ... 331-335
undercooling, effects of locality, sex, and weight ... 333-334
Coffee—
leaves, chemical results of varying intensities of sunlight ... 251-255
plant—
appearance, effect of degrees of sunlight ... 247-248
growth, relation to intensity of sunlight ... 248-251
utilization of nitrates under different sunlight intensities. T. Tanada ... 245-258
Cold-hardiness of codling moth larvae, experiments ... 329-340
Colletotrichum circinans, cause of onion smudge ... 259
Color-inhibiting factor in onion, relation to smudge resistance. H. A. Jones, J. C. Walker, T. M. Little, and R. H. Larson ... 259-264
Coons, G. H., Bennett, C. W., Carsner, Eubanks, and Brandes, E. W.: The Argentine Curly Top of Sugar Beet ... 19-48
Corn—
diploid, chemical composition, comparison with tetraploid. G. H. Ellis, L. F. Randolph, and G. Matrone ... 123-130
ears, number opened by redwings in cornfields, relation to amount of grain taken. D. W. Hayne ... 289-295
grain—
amount, taken by redwings in cornfields, relation to number of ears opened. D. W. Hayne ... 289-295
chemical composition, comparison of diploid and tetraploid ... 125
nitrogen content, comparison of diploid and tetraploid ... 125
growth period, length, effect of carotene concentration ... 179-180
leaf—
carotene extraction, methods ... 171
extracts, storage, effect on carotene content ... 171-172
solution, carotene separation and determination ... 172-173
plant—
carotene content—
John W. Porter, F. M. Strong, R. A. Brink, and N. P. Neal ... 169-187
distribution ... 173-174
effect of season ... 180-181
factors affecting ... 174-186
genetic make-up, effect on carotene content ... 174-175, 184-185, 186,
maturity, effect on carotene content ... 175-181, 185-186
number per hill, effect on carotene content ... 184
pollination, prevention, effect on carotene content ... 182
sugary character, effect on carotene content ... 182
sun-red character, effect on carotene content ... 182-184
smut. See *Ustilago maydis*.
stover—
chemical composition, comparison of diploid and tetraploid ... 127
nitrogen content, comparison of diploid and tetraploid ... 126
strains, carotene yield ... 174-178, 184-185
tetraploid, chemical composition, comparison with diploid. G. H. Ellis, L. F. Randolph, and G. Matrone ... 123-130
See also Maize; *Zea mays*.
Cornfields, grain taken by redwings, relation to number of ears opened. D. W. Hayne. 289-295

Page

Cotton—
growth in sterile cultures ... 140-141
phymatotrichum root rot in, influences of carbohydrate levels and root-surface microfloras. Frank M. Eaton and Neil E. Rigler ... 137-161
plant inoculated with *Phymatotrichum omnivorum*, chemical analyses ... 140
plants—
inoculations with *Phymatotrichum omnivorum*, methods ... 139-140
phymatotrichum root rot, influence of carbohydrate levels and root-surface microfloras. Frank M. Eaton and Neil E. Rigler ... 137-161
root-surface microfloras—
effects of carbohydrate levels ... 153-154
relation to root rot resistance ... 154-157, 158
roots, carbohydrate levels—
effects on root-surface microflora ... 153-154
relation to root rot susceptibility ... 142-153, 157, 158
Cows, vaccination for infectious abortion, serum tests ... 84-90
Crawford, C. L., Aldrich, W. W.: and Moore, D. C.: Leaf Elongation and Fruit-Growth of the Deglet Noor Date in Relation to Soil-Moisture Deficiency 189-200
Furr, J. R., and Moore, D. C.: Checking of Fruits of the Deglet Noor Date in Relation to Water Deficit in the Palm ... 211-231
Curly top, Argentine, of sugar beets. *See* Sugar beet curly top, Argentine.

Dandelion, Russian—
leaves, latex tubes. Edward F. Woodcock ... 297-300
roots, latex-tube area. Edward F. Woodcock ... 297-300
Date, Deglet Noor—
air surrounding, vapor-pressure deficit, effect ... 223-225
checking reduction, relation to water deficits ... 226-229
fruit—
checking, relation to water deficit in the palm. W. W. Aldrich, J. R. Furr, C. L. Crawford, and D. C. Moore ... 211-231
detached, water—
intake, effect ... 219-222
supply, variation, effect ... 222-223
development, effect of water deficit ... 193-196, 198-199
growth, relation to soil-moisture deficiency. W. W. Aldrich, C. L. Crawford, and D. C. Moore ... 189-200
on palm, transpiration rate ... 225-226
quality, effect of water deficit ... 197, 199
susceptibility to checking ... 213-230
leaf elongation and fruit growth, relation to soil-moisture deficiency. W. W. Aldrich, C. L. Crawford, and D. C. Moore ... 189-200
palm—
inflorescences, development, effect of water deficit ... 197
leaf elongation—
and fruit growth, relation to soil-moisture deficiency in Deglet Noor. W. W. Aldrich, C. L. Crawford, and D. C. Moore ... 189-200
rate, relation to soil moisture, experiments ... 190-193, 198
water deficit—
effects ... 193-197
relation to fruit checking. W. W. Aldrich, J. R. Furr, C. L. Crawford, and D. C. Moore ... 211-231
Downy mildew. *See* Mildew, downy; also under Cabbage.
Duvel, J. W. T., buried seed experiment, final results. E. H. Toole and E. Brown. 201-210

Eaton, Frank M., and Rigler, Neil E.: Influence of Carbohydrate Levels and Root-Surface Microfloras on Phymatotrichum Root Rot in Cotton and Maize Plants ... 137-161

Page

EGGERT, RUSSELL: The Construction and Installation of Thermocouples for Biological Research ... 341-355
ELLIS, G. H., RANDOLPH, L. F., and MATRONE, G.: A Comparison of the Chemical Composition of Diploid and Tetraploid Corn ... 123-130
Environal factors affecting downy mildew of cabbage. Matthias W. Felton and J. C. Walker ... 69-81
Erianthus—
  influence of light and temperature on. John I. Lauritzen, E. W. Brandes, and Julius Matz ... 1-18
  varieties—
    dry weights, effects of exposures to light and temperature ... 15
    growth increment, effect of exposures to light and temperature ... 12-13
Eutettix tenellus, virus incubation period in, comparison with *Agalliana ensigera* ... 30

FELTON, MATTHIAS W., and WALKER, J. C.: Environal Factors Affecting Downy Mildew of Cabbage ... 69-81
Fire spread in light forest fuels, analysis. Wallace L. Fons ... 93-121
FONS, WALLACE L.: Analysis of Fire Spread in Light Forest Fuels ... 93-121
Forest—
  fuel beds—
    idealized, fire spread ... 95-105
    natural, fire spread ... 103-112
  fuels, light, fire spread—
    analysis. Wallace L. Fons ... 93-121
    variables measurable in field practice ... 113-120
Fruitfly. See *Anastrepha serpentina*.
Fuels, forest. *See* Forest fuels.
Furfural-yielding constituents of wheat-straw, loss on treatment with alcoholic and aqueous sodium hydroxide solutions. H. D. Weihe and MAX PHILLIPS ... 163-167
FURR, J. R., ALDRICH, W. W., CRAWFORD, C. L., and MOORE, D. C.: Checking of Fruits of the Deglet Noor Date in Relation to Water Deficit in the Palm ... 211-231

Germination, seeds buried in 1902, data ... 204-207
Gossypium hirsutum. *See* Cotton.
Grass, silage—
  chemistry, studies. J. G. Archibald ... 277-287
  composition, analyses ... 280-283
Green crops, carotene and nitrogen content, comparisons ... 285-286

HARRIS, R. H., and WALDRON, L. R.: The Relation of Test Weight and Protein Content to the Milling and Baking Quality of Hard Red Spring Wheat Hybrids ... 131-136
Hawaii, sunlight intensities, effect on utilization of nitrates by coffee plant ... 245-256
Hay, sweetclover, maturity, effects on chemical composition and digestibility of leaves and stems. Jerry Sotola ... 365-371
HAYNE, D. W.: The Relation between Number of Ears Opened and the Amount of Grain Taken by Redwings in Cornfields ... 289-295

Insects, freezing, theories ... 329-331
Irrigation, frequent, effects on date palm ... 191
IRWIN, M. R., and BEACH, B. A.: Differential Bactericidal Activity of Bovine Serum toward Strains of *Brucella abortus* of High and Low Virulence ... 83-91

JONES, H. A., WALKER, J. C., LITTLE, T. M., and LARSON, R. H.: Relation of Color-Inhibiting Factor to Smudge Resistance in Onion ... 259-264

KINGMAN, H. E., PAYNE, MERLE G., CLARK, ANDREW G., and STANSBURY, WILLIAM M.: Blood Levels of Calcium and Inorganic Phosphorus in Hereford Cattle ... 357-363

Page

LARSON, R. H., JONES, H. A., WALKER, J. C., and LITTLE, T. M.: Relation of Color-Inhibiting Factor to Smudge Resistance in Onion ... 259-264
Latex-tube areas of Russian dandelion roots and leaves. Edward F. Woodcock ... 297-300
LAURITZEN, JOHN I., BRANDES, E. W., and MATZ, JULIUS: Influence of Light and Temperature on Sugarcane and Erianthus ... 1-18
Legume silage, composition, analyses ... 280-284
Light—
  influence on sugarcane and erianthus. John I. Lauritzen, E. W. Brandes, and Julius Matz ... 1-18
  intensity, requirements of sugarcane and erianthus varieties, relation to temperature ... 11-12, 16
LITTLE, T. M., JONES, H. A., WALKER, J. C., and LARSON, R. H.: Relation of Color-Inhibiting Factor to Smudge Resistance in Onion ... 259-264
Lycopodium spores, dissemination ... 309-326

Maize—
  growth in sterile cultures ... 140-141
  plants, phymatotrichum root rot in, influence of carbohydrate levels and root-surface microfloras. Frank M. Eaton and Neil E. Rigler ... 137-161
  root-surface microfloras, relation to resistance to root rot ... 154-157, 158-159
  See also Corn; *Zea mays*.
Mangel-wurzel, symptoms of Argentine curly top ... 30
Maple, sugar, wood, thermal conduction ... 348-350
MATRONE, G., ELLIS, G. H., and RANDOLPH, L. F.: A Comparison of the Chemical Composition of Diploid and Tetraploid Corn ... 123-130
MATZ, JULIUS, LAURITZEN, JOHN I., and BRANDES, E. W.: Influence of Light and Temperature on Sugarcane and Erianthus ... 1-18
Melilotus—
  alba. *See* Sweetclover, Spanish.
  officinalis. *See* Sweetclover, Madrid.
Microfloras, root-surface, influence on phymatotrichum root rot in cotton and maize plants. Frank M. Eaton and Neil E. Rigler ... 137-161
Mildew, downy—
  conidia germination on cabbage leaves, temperature relations ... 71
  fungus, penetration into cabbage leaves ... 71-73
  host range ... 69-70
  of cabbage. *See* Cabbage, downy mildew.
MOORE, D. C., ALDRICH, W. W.: and CRAWFORD, C. L.: Leaf Elongation and Fruit Growth of the Deglet Noor Date in Relation to Soil-Moisture Deficiency ... 189-200
  FURR, J. R., AND CRAWFORD, C. L.: Checking of Fruits of the Deglet Noor Date in Relation to Water Deficit in the Palm ... 211-231

National forests, fire spread in forest-type fuels, analysis ... 93-121
NEAL, N. P., PORTER, JOHN W., STRONG, F. M., and BRINK, R. A.: Carotene Content of the Corn Plant ... 169-187
Nitrates, utilization by coffee plant under different sunlight intensities. T. Tanada ... 245-258
Nitrogen content of—
  corn plants, comparison of diploid and tetraploid ... 125-126
  green crops, determination method, evaluation ... 284-285

Onion—
  color-inhibiting factor, relation to smudge resistance. H. A. Jones, J. C. Walker, T. M. Little, and R. H. Larson ... 259-264
  pigmentation, relation to resistance to smudge ... 259-263

Page

Onion—Continued
resistance to smudge, relation to color-inhibiting factor. H. A. Jones, J. C. Walker, T. M. Little, and R. H. Larson 259-264

PAYNE, MERLE G., CLARK, ANDREW G., KINGMAN, H. E., and STANSBURY, WILLIAM M.: Blood Levels of Calcium and Inorganic Phosphorus in Hereford Cattle 357-363

Peronospora parasitica. *See* Mildew, downy.

Petunia, symptoms of Argentine curly top 30

PHILLIPS, MAX, and WEIHE, H. D.: Loss of Furfural-Yielding Constituents from Wheat Straw on Treatment with Alcoholic and Aqueous Sodium Hydroxide Solutions 163-167

Phoenix dactylifera. *See* Date.

Photothermal effects on sugarcane and erianthus 1-18

Phymatotrichum omnivorum, cause of phymatotrichum root rot in cotton and maize 137

Phymatotrichum root rot in—
cotton, influence of carbohydrate levels and root-surface microfloras. Frank M. Eaton and Neil E. Rigler 137-161
maize, influence of carbohydrate levels and root-surface microfloras. Frank M. Eaton and Neil E. Rigler 137-161

Physalis, symptoms of Argentine curly top 30

PORTER, JOHN W., STRONG, F. M., BRINK, R. A., and NEAL, N. P.: Carotene Content of the Corn Plant 169-187

Potentiometer, description and use in biological research 342-343

Protein content of hard red spring wheat hybrids, relation to milling and baking quality. R. H. Harris and L. R. Waldron 131-136

Prunus armeniaca. *See* Apricot.

RANDOLPH, L. F., ELLIS, G. H., and MATRONE, G.: A Comparison of the Chemical Composition of Diploid and Tetraploid Corn 123-130

Redwing—
feeding habits in cornfields 289-290
in cornfields, grain taken, relation to number of ears opened. D. W. Hayne 289-295

Reproduction in sugar beets, relation to temperature. Myron Stout 49-68

Research, biological, thermocouples for, construction and installation. Russell Eggert 341-355

RIGLER, NEIL E., and EATON, FRANK M.: Influence of Carbohydrate Levels and Root-Surface Microfloras on Phymatotrichum Root Rot in Cotton and Maize Plants 137-161

Rubber productivity of Russian dandelion plant, anatomical study 297-300

Ruga verrucosans var. *distans* n. var., virus of Argentine curly top 44-45

Saccharum spp. *See* Sugarcane.

Sclerotinia laxa—
conidia—
cause of brown rot blossom disease 301
adaptation to wind dissemination 301
aerial dissemination, some aspects. E. E. Wilson and G. A. Baker 301-327
spores—
air-borne, density, gradations, relation to gradations in incidence of disease 304-306
dispersion, vertical and lateral, in air currents, effect on density 306-320
interception by trees, factor in aerial density 321
wind-borne, dispersion, mathematical model 321-324

Seed, buried, final results of Duvel experiment. E. H. Toole and E. Brown 201-210

Seeds, buried in 1902, germination, data 204-207

Serum, bovine, differential bactericidal activity toward *Brucella abortus* strains of high and low virulence. M. R. Irwin and B. A. Beach 83-91

Page

SHAW, JOHN G., and STARR, DONALD F.: Development of the Immature Stages of *Anastrepha serpentina* in Relation to Temperature 265-276

SIEGLER, E. H.: Susceptibility of Hibernating Codling Moth Larvae to Low Temperatures, and the Bound-Water Content 329-340

Silage—
grass, chemical studies. J. G. Archibald 277-287
legume, composition, analyses 280-284

Silages—
carotene content, comparison with nitrogen content 284-286
chloride content, analyses 283-284
nitrogen content, comparison with carotene content 284-286

Smudge, onion resistance to, relation to color-inhibiting factor. H. A. Jones, J. C. Walker, T. M. Little, and R. H. Larson 259-264

Sodium hydroxide solutions, aqueous and alcoholic, effect on furfural-yielding constituents of wheat straw. H. D. Weihe and Max Phillips 163-167

Soil-moisture deficiency, relation of leaf elongation and fruit growth of Deglet Noor date to. W. W. Aldrich, C. L. Crawford, and D. C. Moore 189-200

SOTOLA, JERRY: Effect of Maturity on the Chemical Composition and Digestibility of the Stems and Leaves of Sweetclover Hay 365-371

Spores, aerial dissemination, some aspects with special reference to conidia of *Sclerotinia laxa*. E. E. Wilson and G. A. Baker 301-327

Sporidial fusion in *Ustilago maydis*. Donald H. Bowman 233-243

STANSBURY, WILLIAM M., PAYNE, MERLE G., CLARK, ANDREW G., and KINGMAN, H. E.: Blood Levels of the Calcium and Inorganic Phosphorus in Hereford Cattle 357-363

STARR, DONALD F., and SHAW, JOHN G.: Development of the Immature Stages of *Anastrepha serpentina* in Relation to Temperature 256-276

STOUT, MYRON: Relation of Temperature to Reproduction in Sugar Beets 49-68

STRONG, F. M., PORTER, JOHN W., BRINK, R. A., and NEAL, N. P.: Carotene Content of the Corn Plant 169-187

Sugar beet, curly top—
Argentine—
C. W. Bennett, Eubanks Carsner, G. H. Coons, and E. W. Brandes 19-48
comparison with North American disease 20-24
geographic distribution 24-25
host range 25-28
inoculation experiments 27-28
symptoms on—
chickweed 31
mangel-wurzel 30
petunia 30
physalis 30
sugar beets 28-30
various hosts 28-31
zinnia 31
transmission, relation to feeding habits of *Agalliana ensigera* 36-39
vector—
characteristics, distribution, and host range 34-36
feeding habits, relation to transmission of curly top 36-39
virus—
incubation period and retention in vector 39-40
movement in beet leaves, rate 43
name and description 44-45
occurrence in phloem exudate 41
properties 41-42
relation to North American curly top virus 43-44
significance to other countries 45
transmission by inoculation 42
comparison with Argentine curly top 20-24

Page

Sugar beet, curly top—Continued
resistant varieties, bolting, relation to storage temperatures 50–68
virus—
incubation period in *Agalliana ensigera* and *Eutettix tenellus* 39
relation to Argentine curly top virus 43–44
Sugar beets—
reproduction, relation to temperature. Myron Stout 49–68
thermal induction, reversibility 57–67
varietal resistance to Argentine curly top, tests 31–34
varieties, susceptibility to Argentine curly top, experimental results 32
Sugarcane—
influence of light and temperature on. John I. Lauritzen, E. W. Brandes, and Julius Matz 1–18
varieties—
dry weights, effects of exposures to light and temperature 15–16
growth increment, effect of exposure to light and temperature 12–14
Sunlight intensities, effect on utilization of nitrates by coffee plant. T. Tanada 245–258
Sweetclover—
hay. *See* Hay, sweetclover.
Madrid—
chemical life history 366–368
dry-matter composition 367–368
Spanish—
chemical composition 368–369
digestibility coefficients 369–370
digestible nutrients 370–371

TANADA, T.: Utilization of Nitrates by the Coffee Plant under Different Sunlight Intensities 245–258
Taraxacum kok-saghyz. latex tubes in leaves and roots. Edward F. Woodcock 297–300
Temperature—
effects on development of *Anastrepha serpentina* in immature stages. John G. Shaw and Donald F. Starr 256–276
influence on sugarcane and erianthus. John I. Lauritzen, E. W. Brandes, and Julius Matz 1–18
relation to—
light intensity requirements of sugarcane and erianthus varieties 11–12, 16
reproduction in sugar beets. Myron Stout 49–68
Temperatures, low, effects on hibernating codling moth larvae. E. H. Siegler 329–340
Thermocouples for biological research, construction and installation. Russell Eggert 341–355

Page

TOOLE, E. H., and BROWN, E.: Final Results of the Duvel Buried Seed Experiment 201–210
Transpiration rate of Deglet Noor dates 225–226

Ustilago maydis—
nuclear behavior after fusion 233, 234, 237–240, 241
sporidial fusion—
Donald H. Bowman 233–243
and production, physiology 234–237
in culture, factors affecting 233–237, 240–241

WALDRON, L. R., and HARRIS, R. H.: The Relation of Test Weight and Protein Content to the Milling and Baking Quality of Hard Red Spring Wheat Hybrids 131–136
WALKER, J. C.:
and FELTON, MATTHIAS W.: Environal Factors Affecting Downy Mildew of Cabbage 69–81
JONES, H. A., LITTLE, T. M., and LARSON, R. H.: Relation of Color-Inhibiting Factor to Smudge Resistance in Onions 259–264
Water deficit in Deglet Noor date palm, relation to checking of fruits. W. W. Aldrich, J. R. Furr, C. L. Crawford, and D. C. Moore 211–231
Weed seeds, buried, longevity test 203–209
WEIHE, H. D., and PHILLIPS, MAX: Loss of Furfural-Yielding Constituents from Wheat Straw on Treatment with Alcohol and Aqueous Sodium Hydroxide Solutions 163–167
Wheat—
hard red spring hybrids, quality, milling and baking, relation of test weight and protein content to. R. H. Harris and L. R. Waldron 131–136
straw—
furfural-yielding constituents, losses from on treatment with alcoholic and aqueous sodium hydroxide solutions. H. D. Weihe and Max Phillips 163–167
hemicelluloses, isolation, effect on furfural-yielding constituents 164–167
WILSON, E. E., and BAKER, G. A.: Some Aspects of the Aerial Dissemination of Spores, with Special Reference to Conidia of *Sclerotinia laxa* 301–327
Wind dissemination of *Sclerotinia laxa* spores 301
WOODCOCK, EDWARD F.: Latex-Tube Areas of the Roots and Leaves of the Russian Dandelion 297–300

Zea mays—
chromosome doubling, effect on chemical composition 123–130
See also Corn; Maize.
Zinnia, symptoms of Argentine curly top 31

○